



CHOOSE  
YOUR VIEW



## BRETFORD OFFERS THE MOST EXTENSIVE COLLECTION OF FLAT PANEL CARTS.

Our carts are designed to be mobile, safe, and versatile so they work with a variety of flat panel monitors. The carts **move easily from one space to another** for use in multiple classrooms or meeting rooms. You can count on Bretford for safe, dependable solutions. All Flat Panel Carts are designed to pass **UL tip test standards**. And our FPBBUL Series has been certified by UL to meet **1667 standards specifically for schools**. No matter what your needs are, there's a Bretford Flat Panel Cart for you.

## FLAT PANEL CARTS

# UL LISTED FOR SCHOOLS

Ideal for  Learning and  Meeting Solutions.

Our Flat Panel Wide Body Carts are UL Listed to 1667 standards for schools and provide a secure, mobile solution for holding and transporting flat panel monitors. Each cart features a wide body design, adjustable flat panel mount with 0 to 15 degree forward tilt, and a handle for easy maneuvering.

★ *UL listed for safety means these carts are ideal for environments where children work and learn.*

### FPBBUL32 Flat Panel Wide Body Cabinet Cart

Supports monitors up to 65 lbs (suggested 30" to 42" flat panel) with an adjustable bracket for a mounting hole pattern up to 700mm wide by 400mm high. UL Listed to 1667 standards for tall institutional carts.

Product design and features patented by Bretford Manufacturing, Inc.



Model #	W x D x H	Wt	Cabinet Dimensions	Caster Size	Monitor Wt	Suggested Monitor Size	Electrical
• FPBBUL32-E4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	89 lbs	-	4"	65 lbs	30"-42"	6 Outlets
• FPBBUL32-M4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	89 lbs	-	4"	65 lbs	30"-42"	6 Outlets
• FPBBUL32-P4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	86 lbs	-	4"	65 lbs	30"-42"	-
• FPBBUL32-E4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	123 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	6 Outlets
• FPBBUL32-M4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	123 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	6 Outlets
• FPBBUL32-P4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	120 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	-
• FPBBUL37-E5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	123 lbs	-	5"	75 lbs	36"-47"	6 Outlets
• FPBBUL37-M5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	123 lbs	-	5"	75 lbs	36"-47"	6 Outlets
• FPBBUL37-P5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	120 lbs	-	5"	75 lbs	36"-47"	-
• FPBBUL42-E5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	143 lbs	-	5"	85 lbs	42"-52"	6 Outlets
• FPBBUL42-M5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	143 lbs	-	5"	85 lbs	42"-52"	6 Outlets
• FPBBUL42-P5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	140 lbs	-	5"	85 lbs	42"-52"	-

**F** Available in Black powder paint finish.



Black (-BK)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.



# FLAT PANEL CARTS UL LISTED FOR SCHOOLS

Ideal for  Learning and  Meeting Solutions.



## FPBBULC32 Flat Panel Wide Body Cabinet Cart

Supports monitors up to 65 lbs (suggested 30" to 42" flat panel) with an adjustable bracket for a mounting hole pattern up to 700mm wide by 400mm high. Lower cabinet locks to secure equipment and includes a grommet hole for cord management. UL Listed to 1667 standards for tall institutional carts.

Product design and features patented by Bretford Manufacturing, Inc.



## FPBBUL37 Flat Panel Wide Body Cart

Supports monitors up to 75 lbs (suggested 36" to 47" flat panel) with an adjustable bracket for a mounting hole pattern up to 700mm wide by 400mm high. UL Listed to 1667 standards for tall institutional carts.

Product design and features patented by Bretford Manufacturing, Inc.



## FPBBUL42 Flat Panel Wide Body Cart

Supports monitors up to 85 lbs (suggested 42" to 52" flat panel) with an adjustable bracket for a mounting hole pattern up to 700mm wide by 400mm high. UL Listed to 1667 standards for tall institutional carts. Requires a 36" doorway.

Product design and features patented by Bretford Manufacturing, Inc.



## UNDERWRITERS LABORATORIES INC.

Underwriters Laboratories Inc. was founded in 1894 to establish, maintain and operate laboratories for the examination and testing of devices, systems and materials. This is in order to determine their relation to hazards of life and property and to ascertain, define and publish standards, classifications and specifications affecting such hazards.

Bretford offers a variety of products that have been UL Listed for safety. Products that are UL Listed undergo random inspections by UL to ensure quality controls and UL compliance. For more information on Underwriters Laboratories, visit [www.UL.com](http://www.UL.com).

## FLAT PANEL CARTS

# PULL-OUT NOTEBOOK SHELVES

Ideal for  Learning and  Meeting Solutions.

These Flat Panel Carts are ideal for interactive presentations. Carts feature two pull-out shelves for additional space for media equipment, laptop computers, or projectors. Adjustable mounting bracket fits most flat panels and features a 0 to 15 degree forward tilt.

★ *For interactive presentations, additional equipment is easily supported in classrooms and lecture halls.*



+ *Connections Work Center, page 125*

### TC15FC Cabinet Flat Panel Rack Mount Cart

Cabinet cart holds a flat panel monitor up to 42" or 90 lbs maximum, and has two pull-out shelves. Lower cabinet has front and rear locking doors and 19" rack mount rails with 16-unit spacing. Includes two rack mounted accessory shelves. Monitor bracket adjusts for mounting hole patterns up to 700mm wide by 400mm high. Ships ready to assemble.

Product design and features patented by Bretford Manufacturing, Inc.

### TC15FCSA Welded Cabinet Flat Panel Rack Mount Cart

Cabinet has welded frame construction, front and rear locking doors, and 19" rack mount rails with 16-unit spacing. Includes two rack mounted accessory shelves. Cart holds flat panel monitors up to 42" or 90 lbs maximum, and has two pull-out shelves. Monitor bracket adjusts for mounting hole patterns up to 700mm wide by 400mm high. Ships mostly assembled.

Product design and features patented by Bretford Manufacturing, Inc.

# FLAT PANEL CARTS PULL-OUT NOTEBOOK SHELVES

Ideal for  Learning and  Meeting Solutions.



## TC35FC Cabinet Flat Panel Cart

Features height-adjustable top shelf (31" to 39"). Holds flat panel monitors up to 42" or 90 lbs maximum. Includes two pull-out shelves and locking lower cabinet that is perforated for ventilation. Monitor bracket adjusts for mounting hole patterns up to 700mm wide by 400mm high. Ships ready to assemble.

Product design and features patented by Bretford Manufacturing, Inc.



## TC12FC Flat Panel Open-Shelf Cart

Flat panel cart has open shelf design, large cord management bin, and two pull-out shelves. Holds flat panel monitors up to 42" or 90 lbs maximum. Monitor bracket adjusts for mounting hole patterns up to 700mm wide by 400mm high. Ships ready to assemble.

Product design and features patented by Bretford Manufacturing, Inc.



Model #	W x D x H	Wt	Cabinet Dimensions	Cabinet	Suggested Monitor Size	Caster Size	Monitor Wt	Electrical
• TC15FC-BK	32" x 24" x 70"	180 lbs	30"W x 23"D x 27"H	Unassembled	30"-42"	4"	< 90 lbs	-
• TC15FCFF-BK	32" x 24" x 70"	184 lbs	30"W x 23"D x 27"H	Unassembled	30"-42"	4"	< 90 lbs	12 Outlets
• TC15FCSA-BK	32" x 24" x 70"	180 lbs	30"W x 23"D x 27"H	Assembled	30"-42"	4"	< 90 lbs	-
• TC15FCSAFF-BK	32" x 24" x 70"	184 lbs	30"W x 23"D x 27"H	Assembled	30"-42"	4"	< 90 lbs	12 Outlets
• TC35FC-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 59-67"	134 lbs	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	Unassembled	30"-42"	4"	< 90 lbs	-
• TC35FCFF-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 59-67"	138 lbs	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	Unassembled	30"-42"	4"	< 90 lbs	6 Outlets
• TC12FC-BK	32" x 24" x 70"	114 lbs	-	Unassembled	30"-42"	4"	< 90 lbs	-
• TC12FCFF-BK	32" x 24" x 70"	118 lbs	-	Unassembled	30"-42"	4"	< 90 lbs	6 Outlets

**F** Available in Black powder paint finish.



Black (-BK)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.



## FLAT PANEL CARTS

# DESIGNER CARTS

Ideal for  Learning and  Meeting Solutions.

These Flat Panel Carts are ideal for high profile facilities and allow for easy accessibility and mobility of flat panel monitors up to 61" diagonal. The sleek K-Base design provides stability during transport. Cabinet versions add storage space and provide 19" rack mount rails for multimedia technology. All carts feature adjustable mounting brackets and 0 to 15 degree forward tilt.

★ Provides extreme functionality and high design to business, medical, and academic high profile facilities.



⊕ LAP24EULBA-GM 24-Unit Laptop Cart, page 18; CR8502 Folding Rectangle Table, page 147

Model #	W x D x H	Wt	Caster Size	Cabinet	Monitor Wt	Suggested Monitor Size
• FPP72	48" x 28" x 80"	65 lbs	4"	-	170lbs	42"-61"
• FPP72V200	48" x 28" x 80"	57 lbs	4"	-	170 lbs	32"-52"
• FPPC72	42" x 34" x 78"	160 lbs	4"	26"W x 26"D	170 lbs	42"-61"
• FPPC72V200	42" x 34" x 78"	160 lbs	4"	26"W x 26"D	170 lbs	32"-52"



# FLAT PANEL CARTS DESIGNER CARTS

Ideal for  Learning and  Meeting Solutions.



Product design and features patented by Bretford Manufacturing, Inc.

## FPP72 K-Base Flat Panel Display Cart

Universal Arm Bracket is width and height-adjustable for larger flat panel monitors from 42" to 61" or 170 lbs maximum. The monitor easily adjusts from landscape to portrait format by hand. Universal Arm Bracket adjusts for mounting hole patterns 310mm wide by 200mm high or greater.

## FPP72V200 K-Base Flat Panel Display Cart

Simple mounting bracket adjusts for flat panel monitors 32" to 52" or 170 lbs maximum. Monitor bracket adjusts for mounting hole patterns up to 700mm wide by 400mm high.

Product design and features patented by Bretford Manufacturing, Inc.

**F** FPP72 and FPP72V200 K-Base Flat Panel Display Carts are only available in Aluminum powder paint finish.



## FPPC72 Flat Panel Cabinet Cart

Lower cabinet is ventilated to keep electronics from overheating and includes 19" rack mount rails. Universal Arm Bracket is width and height-adjustable for larger flat panel monitors from 42" up to 61" or 170 lbs maximum. The monitor easily changes from landscape to portrait format by hand. Universal Arm Bracket adjusts for mounting hole patterns 310mm wide by 200mm high or greater.

## FPPC72V200 Flat Panel Cabinet Cart

Features same lower cabinet as the FPPC72 and includes an adjustable, simple mounting bracket for flat panel monitors 32" to 50" or 170 lbs maximum. Monitor bracket adjusts for mounting hole patterns up to 700mm wide by 400mm high.

Product design and features patented by Bretford Manufacturing, Inc.

**F** See page 192-195 for finish options for FPPC72 and FPPC72V200 Cabinet Carts.

## FLAT PANEL CARTS

# CUSTOMIZE A CART

Ideal for  Learning and  Meeting Solutions.

Our Totem Interaction Stations help save space by offering multiple network computer access points. Stations stand 2" from a wall or the end of a shelving system, allowing cords and cables to be hidden in the rear slot. Comes in Aluminum finish. Can be customized with Bretford's A la Cart Program.

★ Perfect for offices, reception areas, libraries, and patient rooms.



### FPT01 Totem Interaction Station With Flip-Up Keyboard Tray

Comes with a Low Profile 75/100mm VESA Mount, a flip-up keyboard shelf, and a slim-line CPU holder.

Product design and features patented by Bretford Manufacturing, Inc.



### FPT02 Totem Interaction Station Laptop Computer Shelf

Includes a multiple display mount for two 20" monitors with 75/100mm VESA mounts, laptop computer shelf, and cable bin.

Product design and features patented by Bretford Manufacturing, Inc.

# FLAT PANEL CARTS CUSTOMIZE A CART

Ideal for  Learning and  Meeting Solutions.



## FPP7201 Freestanding Cart with Shelf

Comes with monitor mount for 32" to 52" monitor, small accessory shelf, and cable bin.



## FPP7202 Freestanding Cart with Multiple Displays

Comes with multiple monitor mount for three monitors up to 20". Standard size CPU holder included.



## FPP7203 Freestanding Cart with Speaker Mount

Comes with monitor mount for 32" to 52" monitor, a speaker bar for two speakers, and standard size CPU holder.



## FPP7204 Freestanding Cart with Multiple Monitors

Comes with monitor mount for 32" to 52" monitors and multiple display mount for two monitors up to 20". Includes small accessory shelf and standard size CPU holder.



## FPP72BL Freestanding Mobile Cart Base and 72" Pole With Handle

Flat panel mount is not included.



## HOW TO BUILD YOUR TOTEM POLE

1. Start with a blank pole or a blank cart.
2. Select the components you want to include in your unique application.
3. Choose from monitor mounts, keyboard shelves, equipment shelves, CPU holders, and cable bins.
4. Load the pole from the base up. Components are held in place with special "spikes" that ride in the front slot and adjust up or down the pole. Maximum weight load is 170 lbs.
5. When selecting accessories, remember the pole length and consider the height of each component you want to attach. Accessories are listed on pages 50-51.

**FPCMPOLE36-AL 36" Pole for Totem Wall Collection**  
**FPCMPOLE48-AL 48" Pole for Totem Wall Collection**  
**FPCMPOLE60-AL 60" Pole for Totem Wall Collection**  
**FPCMPOLE72-AL 72" Pole for Totem Wall Collection**

## FPNUG Nugget Set

For attaching the pole to the wall. Includes two nuggets and one pole cap.

# FLAT PANEL CARTS

## CUSTOMIZE A CART

Ideal for  Learning and  Meeting Solutions.



- **FPPADJ1 Regular Adjustable Height Arm**

For monitors up to 15 lbs. Features a shock powered extension arm that allows a 7" height adjustment. Swivel and tilt adjustment allow for easy rotation from landscape to portrait views without tools.

- **FPPADJ1XX Heavy-Duty Adjustable Height Arm**

Same features as FPPADJ1. For monitors from 16-30 lbs.

- **FFPKIT Universal Flat Panel Mounting Bracket**

Aluminum bracket for 32" to 52" monitors. Arms attach to back of monitor, beam attaches to the pole, and monitor arms clamp onto the beam.

**F** Available in Aluminum or Black powder paint finish.

**+** [FPP72 K-Base Flat Panel Display Cart, page 47](#)



- **FPP1M2 Single 12" Arm Mount**

Same features as FPP1M0. Holds monitors 12" from pole.

Product design and features patented by Bretford Manufacturing, Inc.

- **FPP1M1 Single 6" Arm Mount**

Same features as FPP1M0. Holds monitors 9" from pole.

Product design and features patented by Bretford Manufacturing, Inc.

- **FPP1M0 Low Profile Mount**

Holds monitors 3" from pole. Supports monitors with 75/100mm VESA patterns up to 30 lbs. Swivel and tilt on pole allows for optimal viewing angles.



Wrought Iron (-469)    Black (-BK)    Aluminum (-AL)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.

# FLAT PANEL CARTS CUSTOMIZE A CART

Ideal for  Learning and  Meeting Solutions.



## • FPPCC Cable Closet with 10-Outlet Electrical

Fits on front or back of pole. Spacious closet keeps cables safely out of the way.



## • FPPCB Freestanding Cart Cable Bin

Provides simple cable management with 6-outlet electrical assembly at front or back of pole.



## • FPPCPU Freestanding Cart CPU Holder

CPU clamps adjust from 7" to 9" W. Provides solid support for CPU, even during transport.



## • FPPSHLAP-469 Freestanding Laptop Computer Shelf

Shelf is 19" X 18". Comes in Wrought Iron laminate. Other laminates and veneers are available. See pages 192-195.



## • FPPKB1-469 Freestanding Cart Keyboard Shelf (6" extension)

Features a 25" x 10" tilting platform and 6" extension arm. Comes in Wrought Iron laminate. Other laminates and veneers are available. See pages 192-195.

Product design and features patented by Bretford Manufacturing, Inc.

## • FPPSHS-469 Freestanding Cart Small Shelf

Shelf is 20" X 16". Comes in Wrought Iron laminate. Other laminates and veneers are available. See pages 192-195.

## • FPPSHX-469 Freestanding Cart Large Shelf

Shelf is 24" X 17". Comes in Wrought Iron laminate. Other laminates and veneers are available. See pages 192-195.

## • FPPCPU2 Freestanding Cart Slim CPU Holder for Mini Tower Computers

Slim-line CPU clamps adjust from 3" to 6". Provides solid support for CPU, even during transport.



## • FPPSP31 Freestanding Cart Speaker/Monitor Bar

31" W beam comes with two 75/100mm VESA mounts. Suitable for monitors up to 21" or remote speakers weighing up to 25 lbs each.

## • FPPKB2-469 Freestanding Cart Keyboard Shelf (12" extension)

Features a 25" x 10" tilting platform and 12" adjustable extension arm. Comes in Wrought Iron laminate. Other laminates and veneers are available. See pages 192-195.

Product design and features patented by Bretford Manufacturing, Inc.

## • FPPSP42 Freestanding Cart Speaker/Monitor Bar

42" W beam comes with two 75/100mm VESA mounts. Suitable for monitors up to 24" or remote speakers weighing up to 25 lbs each.



## • FPP3M 3 VESA Multiple Display

42" W beam comes with three 75/100mm VESA mounts for mounting three monitors up to 19" and 25 lbs each.



# FLAT PANEL CARTS RETRO-FIT KITS

Ideal for  Learning and  Meeting Solutions.

Our Retro-Fit Kits convert existing Bretford Wide Body BB Series Carts to support flat panel monitors by installing a new top shelf. Kit includes shelf, flat panel mount, and handle for easy transport. Features 0 to 15 degree forward tilt. UL Listed kits are available for BB Carts with an existing UL Listing.

★ *Make your existing carts flat panel-ready for K-12 and university classrooms.*

## TURN THIS



## INTO THIS



### FPBB32KIT-BK Flat Panel Retro-fit Kit

Top shelf for converting Wide Body CRT TV Carts for use with flat panel monitors. Supports a monitor up to 65 lbs (suggested 30" to 37") on BB44, BB48, BBRB48 and BBC48 carts, and a monitor up to a 32 lbs (suggested 30" to 32") on BB54, BB54SX and BBC54 carts.

*Note: The FPBB32KIT supports different sizes and weights of monitors depending on the original cart. 54" H carts hold smaller/lighter monitors only.*



### FPBB41KIT-BK Flat Panel Retro-fit Kit

Top shelf for converting BBLM41 and VTRRB44 Series Wide Body Carts for use with flat panel monitors up to 70 lbs (suggested 32" to 42").



### FPBBUL32KIT-BK Flat Panel Retro-fit Kit

Top shelf for use with UL Listed Carts BBUL44 and BBULC48. Supports monitors up to 65 lbs (suggested 30" to 42") and keeps original UL 1667 listing intact.



### FPBBUL37KIT-BK Flat Panel Retro-fit Kit

Top shelf for use with UL listed cart BBUL4435 only. Supports monitors up to 75 lbs (suggested 36" to 47") and keeps original UL 1667 listing intact.



### FPBBUL42KIT-BK Flat Panel Retro-fit Kit

Top shelf for use with UL Listed cart BBUL4440 only. Supports monitors up to 85 lbs (suggested 42" to 52") and keeps original UL 1667 listing intact.



Model #	W x D x H	Wt	UL Listed	Monitor Wt	Suggested Monitor Size	Fits Original BB Carts
• FPBB32KIT-BK	32" x 22"	43 lbs	N	< 32 lbs	30"-32"	BB54, BB54SX, BBC54
• FPBB32KIT-BK	32" x 22"	43 lbs	N	< 65 lbs	30"-37"	BB44, BB48, BBRB48
• FPBB41KIT-BK	37" x 24"	57 lbs	N	< 70 lbs	32"-42"	BBLM41, VTRRB44
• FPBBUL32KIT-BK	32" x 22"	43 lbs	Y	< 65 lbs	30"-42"	BBUL44, BBULC48
• FPBBUL37KIT-BK	36 <sup>1</sup> / <sub>4</sub> " x 22 <sup>3</sup> / <sub>4</sub> "	55 lbs	Y	< 75 lbs	36"-47"	BBUL4435
• FPBBUL42KIT-BK	40" x 27 <sup>1</sup> / <sub>2</sub> "	58 lbs	Y	< 85 lbs	42"-52"	BBUL4440



Black (-BK)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.



F Available in Black powder paint finish.

# FLAT PANEL CARTS ACCESSORIES

Ideal for  Learning and  Meeting Solutions.

Choose from the following additions to increase usability and versatility of your Flat Panel Carts.



## • CRDMR Cord Minder Clips

Cord management tool keeps cords and cables in place on the cart from top to bottom. Clips to 1" square, tubular legs without tools on the FPBBUL Series and TC12FC Series carts. Easily adjusts.



## Security Screw Packs

Security hardware replaces the courtesy monitor screws that come with a flat panel cart. Requires a special key to install and remove.

### FPTVULM4

Kit includes four M4 x 12 and four M4 x 30 metric screws and screw key.

### FPTVULM5

Kit includes four M5 x 12 and four M5 x 30 metric screws and screw key.

### FPTVULM6

Kit includes four M6 x 12 and four M6 x 30 metric screws and screw key.

### FPTVULKEY

Replacement security screw key.



## • ETHKIT-BK Handle Accessory

Handle mounts to top shelf using existing bolts for easier transport of equipment. For use on models TC12FC, TC35FC, TC15FC, and TC15FCSA.

# CARTS, STANDS & TRUCKS ANALYSIS CHARTS



## OVERHEAD AND DOCUMENT CAMERA CARTS AND STANDS

Model #	W x D x H	Wt	Projector Well	Lower Shelf	Drop Leaves	Caster Size	Electrical
• OH29	22 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 29"	38 lbs	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	11" x 20 <sup>1</sup> / <sub>4</sub> "	4"	-
• OH29E	22 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 29"	40 lbs	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	11" x 20 <sup>1</sup> / <sub>4</sub> "	4"	6 Outlets
• OH39	22 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 39"	40 lbs	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	11" x 20 <sup>1</sup> / <sub>4</sub> "	4"	-
• OH39E	22 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 39"	42 lbs	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	11" x 20 <sup>1</sup> / <sub>4</sub> "	4"	6 Outlets
• AOH2741-E4	37" x 22 <sup>1</sup> / <sub>2</sub> " x 27-41"	67 lbs	17 <sup>1</sup> / <sub>2</sub> "W x 20 <sup>1</sup> / <sub>2</sub> "D	17 <sup>1</sup> / <sub>16</sub> "W x 18 <sup>3</sup> / <sub>8</sub> "D x 4"H	-	4"	6 Outlets
• AOH2741-M4	37" x 22 <sup>1</sup> / <sub>2</sub> " x 27-41"	67 lbs	17 <sup>1</sup> / <sub>2</sub> "W x 20 <sup>1</sup> / <sub>2</sub> "D	17 <sup>1</sup> / <sub>16</sub> "W x 18 <sup>3</sup> / <sub>8</sub> "D x 4"H	-	4"	6 Outlets
• AOH2741-P4	37" x 22 <sup>1</sup> / <sub>2</sub> " x 27-41"	64 lbs	17 <sup>1</sup> / <sub>2</sub> "W x 22 <sup>1</sup> / <sub>2</sub> "D	17 <sup>1</sup> / <sub>16</sub> "W x 18 <sup>3</sup> / <sub>8</sub> "D x 4"H	-	4"	-



## PRINTER STANDS

Model #	W x D x H	Wt	Cabinet	Caster Size	Cabinet Shelves
• FAX2	30" x 20" x 28 <sup>1</sup> / <sub>2</sub> "	97 lbs	28"W x 19"D x 10"H	2"	1
• FC2020	20" x 20" x 24 <sup>1</sup> / <sub>2</sub> "	50 lbs	19 <sup>3</sup> / <sub>4</sub> "W x 19 <sup>1</sup> / <sub>4</sub> "D x 17 <sup>3</sup> / <sub>4</sub> "H	2"	2
• FC27	36" x 18" x 27"	74 lbs	36"W x 17 <sup>1</sup> / <sub>2</sub> "D x 21 <sup>1</sup> / <sub>2</sub> "H	2"	2
• C15-BK	24 <sup>1</sup> / <sub>4</sub> " x 18 <sup>1</sup> / <sub>8</sub> " x 14 <sup>7</sup> / <sub>8</sub> "	34 lbs	23 <sup>3</sup> / <sub>4</sub> "W x 17 <sup>3</sup> / <sub>4</sub> "D x 9"H	2"	1



## UL LISTED FOR SCHOOLS

Model #	W x D x H	Wt	Cabinet Dimensions	Caster Size	Monitor Wt	Suggested Monitor Size	Electrical
• FPBBUL32-E4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	89 lbs	-	4"	65 lbs	30"-42"	6 Outlets
• FPBBUL32-M4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	89 lbs	-	4"	65 lbs	30"-42"	6 Outlets
• FPBBUL32-P4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	86 lbs	-	4"	65 lbs	30"-42"	-
• FPBBULC32-E4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	123 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	6 Outlets
• FPBBULC32-M4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	123 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	6 Outlets
• FPBBULC32-P4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	120 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	-
• FPBBUL37-E5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	123 lbs	-	5"	75 lbs	36"-47"	6 Outlets
• FPBBUL37-M5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	123 lbs	-	5"	75 lbs	36"-47"	6 Outlets
• FPBBUL37-P5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	120 lbs	-	5"	75 lbs	36"-47"	-
• FPBBUL42-E5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	143 lbs	-	5"	85 lbs	42"-52"	6 Outlets
• FPBBUL42-M5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	143 lbs	-	5"	85 lbs	42"-52"	6 Outlets
• FPBBUL42-P5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	140 lbs	-	5"	85 lbs	42"-52"	-



## PULL-OUT NOTEBOOK SHELVES

Model #	W x D x H	Wt	Cabinet Dimensions	Cabinet	Suggested Monitor Size	Caster Size	Monitor Wt	Electrical
• TC15FC-BK	32" x 24" x 70"	180 lbs	30"W x 23"D x 27"H	Unassembled	30"-42"	4"	< 90 lbs	-
• TC15FCFF-BK	32" x 24" x 70"	184 lbs	30"W x 23"D x 27"H	Unassembled	30"-42"	4"	< 90 lbs	12 Outlets
• TC15FCSA-BK	32" x 24" x 70"	180 lbs	30"W x 23"D x 27"H	Assembled	30"-42"	4"	< 90 lbs	-
• TC15FCSAFF-BK	32" x 24" x 70"	184 lbs	30"W x 23"D x 27"H	Assembled	30"-42"	4"	< 90 lbs	12 Outlets
• TC35FC-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 59-67"	134 lbs	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	Unassembled	30"-42"	4"	< 90 lbs	-
• TC35FCFF-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 59-67"	138 lbs	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	Unassembled	30"-42"	4"	< 90 lbs	6 Outlets
• TC12FC-BK	32" x 24" x 70"	114 lbs	-	Unassembled	30"-42"	4"	< 90 lbs	-
• TC12FCFF-BK	32" x 24" x 70"	118 lbs	-	Unassembled	30"-42"	4"	< 90 lbs	6 Outlets

# CARTS, STANDS & TRUCKS

## ANALYSIS CHARTS



### DESIGNER CARTS

Model #	W x D x H	Wt	Caster Size	Cabinet	Monitor Wt	Suggested Monitor Size
• FPP72	48" x 28" x 80"	65 lbs	4"	-	170lbs	42"-61"
• FPP72V200	48" x 28" x 80"	57 lbs	4"	-	170 lbs	32"-52"
• FPPC72	42" x 34" x 78"	160 lbs	4"	26"W x 26"D	170 lbs	42"-61"
• FPPC72V200	42" x 34" x 78"	160 lbs	4"	26"W x 26"D	170 lbs	32"-52"



### RETRO-FIT KITS

Model #	W x D x H	Wt	UL Listed	Monitor Wt	Suggested Monitor Size	Fits Original BB Carts
• FPBB32KIT-BK	32" x 22"	43 lbs	N	< 32 lbs	30"-32"	BB54, BB54SX, BBC54
• FPBB32KIT-BK	32" x 22"	43 lbs	N	< 65 lbs	30"-37"	BB44, BB48, BBRB48
• FPBB41KIT-BK	37" x 24"	57 lbs	N	< 70 lbs	32"-42"	BBLM41, VTRRB44
• FPBBUL32KIT-BK	32" x 22"	43 lbs	Y	< 65 lbs	30"-42"	BBUL44, BBULC48
• FPBBUL37KIT-BK	36 <sup>1/4</sup> " x 22 <sup>3/4</sup> "	55 lbs	Y	< 75 lbs	36"-47"	BBUL4435
• FPBBUL42KIT-BK	40" x 27 <sup>1/2</sup> "	58 lbs	Y	< 85 lbs	42"-52"	BBUL4440



### SINGLE-SIDED

Model #	W x D x H	Slanted Shelf Size	Distance Between Shelves	Wt	Back of Shelf Height	Caster Size	UPS
• BOO227	26" x 14" x 33"	24"W x 12 <sup>1/2</sup> "D	13"	34 lbs	5"	5"	Y
• BOO317	17" x 14" x 44"	15"W x 12 <sup>1/2</sup> "D	13"	36 lbs	5"	5"	Y
• BOO327	26" x 14" x 44"	24"W x 12 <sup>1/2</sup> "D	13"	44 lbs	5"	5"	Y
• BOOV2	36" x 14" x 44"	34"W x 12 <sup>1/2</sup> "D	13"	46 lbs	5"	5"	N
• L327	26" x 14" x 43"	24"W x 12 <sup>1/2</sup> "D	13"	46 lbs	5"	4"	Y
• L330	36" x 14" x 43"	34"W x 12 <sup>1/2</sup> "D	13"	46 lbs	5"	4"	N
• L33017	17" x 14" x 43"	15"W x 12 <sup>1/2</sup> "D	13"	42 lbs	5"	4"	Y
• R227	26" x 14" x 32"	24"W x 12 <sup>1/2</sup> "D	13 <sup>1/2</sup> "	27 lbs	5"	4"	Y