

# MULTIMEDIA CARTS AND STANDS

## PROJECTOR CARTS

Ideal for  Learning and  Meeting Solutions.

Our AV Carts are constructed of steel and feature an open shelf design for holding projectors, monitors, document cameras, computers and additional AV equipment. Carts are available with the option of two or three shelves.

★ Ideal for holding multimedia technology equipment. Media moves easily around open offices, presentation rooms, lecture halls and classrooms.



### A2642 Adjustable AV Cart

Carts feature die-pressed shelves with a 1/4" lip around the edge. Top shelves are arc-welded, reinforced and include a non-slip, ribbed rubber mat. Adjusts to heights of 26", 30", 34", 38", and 42". Recommended for use with projectors or CRT monitors up to 20" diagonal.



### 2642NSKIT-BK Retro-Fit Shelf Kit

For converting older models of A2642 or CA2642 carts for compatibility with laptop computers. Replaces the old top shelf. Kit includes a 14" D pull-out laptop shelf.



+ A2642 Adjustable AV Cart with 2642NSKIT Retro-Fit Shelf Kit; Connections Work Centers, page 125

Model #	W x D x H	Wt	Shelf Size	Top Shelf Lip	Caster Size	Electrical
• A2642	24" x 18" x 26-42"	42 lbs	24"W x 18"D	1/4"	4"	-
• A2642E	24" x 18" x 26-42"	44 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• A2642-M4	24" x 18" x 26-42"	44 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 2642NSKIT	24" x 18" x 26-42"	29.5 lbs	24"W x 18"D	1/4"	-	-



Black (-BK)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.

F Available in Black powder paint finish.



# MULTIMEDIA CARTS AND STANDS

## PROJECTOR CARTS

Ideal for  Learning and  Meeting Solutions.



### 42 AV Cart

Cart is 42" high and includes three shelves. Features welded steel construction, and die-pressed shelves with rounded edges. Recommended for use with projectors or CRT monitors up to 20" diagonal.



### 34 AV Cart

Cart is 34" high and includes three shelves. Features welded steel construction, and die-pressed shelves with rounded edges. Recommended for use with projectors or CRT monitors up to 20" diagonal.



### 26 AV Cart

Cart is 26" high and includes two shelves. Features welded steel construction, and die-pressed shelves with rounded edges. Recommended for use with projectors or CRT monitors up to 20" diagonal.



Model #	W x D x H	Wt	Shelf Size	Top Shelf Lip	Caster Size	Electrical
• 42-P4	24" x 18" x 42"	41 lbs	24"W x 18"D	1/4"	4"	-
• 42-E4	24" x 18" x 42"	44 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 42-M4	24" x 18" x 42"	44 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 34-P4	24" x 18" x 34"	38 lbs	24"W x 18"D	1/4"	4"	-
• 34-E4	24" x 18" x 34"	41 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 34-M4	24" x 18" x 34"	41 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 26-P4	24" x 18" x 26"	31 lbs	24"W x 18"D	1/4"	4"	-
• 26-E4	24" x 18" x 26"	34 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 26-M4	24" x 18" x 26"	34 lbs	24"W x 18"D	1/4"	4"	6 Outlets

**F** Available in Black powder paint finish.

# MULTIMEDIA CARTS AND STANDS

## PROJECTOR CARTS

Ideal for  Learning and  Meeting Solutions.



### CA2642 Adjustable Cabinet Cart

Features 14-gauge uprights, 20-gauge die-pressed shelves, and a locking lower cabinet with a rear grommet hole to secure equipment. Top shelves are arc-welded and reinforced and come with a non-slip, ribbed rubber mat. Cart has 5-height capability: 26", 30", 34", 38", or 42". For use with projectors or CRT monitors up to 20" diagonal.



### 2642NSKIT-BK Retro-Fit Kit

For converting older models of A2642 or CA2642 carts for compatibility with laptop computers. Replaces the top shelf. Kit includes a 14" deep pull-out laptop shelf.



Model #	W x D x H	Wt	Shelf Size	Top Shelf Lip	Caster Size	Electrical
• CA2642	24" x 18" x 26-42"	58 lbs	24W" x 18"D	1/4"	4"	-
• CA2642E	24" x 18" x 26-42"	63 lbs	24W" x 18"D	1/4"	4"	6 Outlets
• CA2642-M4	24" x 18" x 26-42"	58 lbs	24W" x 18"D	1/4"	4"	6 Outlets
• 2642NSKIT	24" x 18" x 26-42"	23 lbs	24W" x 18"D	1/4"	-	-



See pages 192-195 for special order colors. Additional costs and longer lead times may apply.

Black (-BK)

**F** Available in Black powder paint finish.




# MULTIMEDIA CARTS AND STANDS

## PLASTIC PROJECTOR CARTS

Ideal for  Learning and  Meeting Solutions.

Our adjustable-height Plastic Utility Carts are lightweight for easy transport and sturdy to withstand heavy equipment. Large top shelf holds projectors and CRT monitors up to 20" diagonal, or other AV equipment. Shelves are molded from tough, high-density polyethylene plastic. Large handle is included on top shelf for easy transport and can be used as a convenient cord winder for the 3-outlet electrical unit.

 Plastic construction is light and easily maneuverable in and around conference rooms and classrooms.



### BPDOU Plastic Utility Cart

Features black PVC pipe legs that are interchangeable to create 26", 34", or 42" H cart sizes.



Model #	W x D x H	Wt	Shelf Size	Top Shelf Lip	Caster Size	Electrical
• BPDOU-E4	24" x 18" x 26-42"	32.5 lbs	24"W x 18"D	1/4"	4"	3 Outlets
• BPDOU-P4	24" x 18" x 26-42"	29.5 lbs	24"W x 18"D	1/4"	4"	-

**F** Available in Black powder paint finish.



See pages 192-195 for special order colors. Additional costs and longer lead times may apply.

Black (-BK)

## MULTIMEDIA CARTS AND STANDS

# PROJECTOR CARTS WITH PULL-OUT NOTEBOOK SHELVES FOR PRESENTATIONS

Ideal for  Learning and  Meeting Solutions.

These carts feature pull-out shelves and hold data projectors, laptop, document camera, DVD, audio equipment, and more. Ideal for use with interactive multimedia presentations.

 Pull-out shelves for interactive instruction in computer labs, classrooms, libraries, and conference rooms.



### ECILS1-BK Mobile Projector Cart

Features a 42" H top shelf and single, large, adjustable pull-out shelf that can be set for sitting or standing heights. Lower shelf provides additional storage space and large cord bin keeps cords organized. Part of our Antimicrobial Product Solutions.

 [Connections Work Center, page 125](#)

Model #	W x D x H	Wt	Caster Size	Electrical	Laptop Shelf	Seated Ht	Standing Ht	Top Shelf Lip	Antimicrobial
• ECILS1-BK	32" x 24" x 42"	79 lbs	4"	-	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	N
• ECILS1-CTMBT	32" x 24" x 42"	79 lbs	4"	-	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS1-BPMBT	32" x 24" x 42"	79 lbs	4"	-	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS1FF-BK	32" x 24" x 42"	83 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	N
• ECILS1FF-CTMBT	32" x 24" x 42"	83 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS1FF-BPMBT	32" x 24" x 42"	83 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y

See page 208 for a full description of Bretford's Antimicrobial Product Solutions.



Concrete (-CT)



Black (-BK)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.

 Available in Black powder paint finish.



# MULTIMEDIA CARTS AND STANDS

## PROJECTOR CARTS WITH PULL-OUT NOTEBOOK SHELVES FOR PRESENTATIONS

Ideal for  Learning and  Meeting Solutions.



### ECILS15-BK Mobile Projector Cart

Features 33" H top shelf and pull-out notebook shelf, which can be set at 25", 27", or 29" sitting heights. Includes large cord management bin. Part of our Antimicrobial Product Solutions.



### ECILS2-BK Mobile Projector Cart

Features 42" H top shelf and adjustable, pull-out notebook computer shelf that can be set at three heights in standing or sitting positions. Lower shelf provides additional storage space. Part of our Antimicrobial Product Solutions.



### ECILS3-BK Cabinet Projector Cart

Carts are designed for computer projection with an adjustable-height top shelf and single large pull-out laptop shelf. Lower cabinet has perforated holes for ventilation, grommet holes for cable management, and locks to secure additional equipment. Part of our Antimicrobial Product Solutions.



Model #	W x D x H	Wt	Caster Size	Electrical	Laptop Shelf	Seated Ht	Standing Ht	Top Shelf Lip	Antimicrobial
• ECILS15-BK	32" x 24" x 33"	69 lbs	4"	-	29"W x 13"D	25", 27", 29"	-	1/8"	N
ECILS15-CTMBT	32" x 24" x 33"	69 lbs	4"	-	29"W x 13"D	25", 27", 29"	-	1/8"	Y
ECILS15-BPMBT	32" x 24" x 33"	69 lbs	4"	-	29"W x 13"D	25", 27", 29"	-	1/8"	Y
• ECILS15FF-BK	32" x 24" x 33"	69 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	-	1/8"	N
ECILS15FF-CTMBT	32" x 24" x 33"	69 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	-	1/8"	Y
ECILS15FF-BPMBT	32" x 24" x 33"	69 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	-	1/8"	Y
• ECILS2-BK	24" x 18" x 42"	40 lbs	4"	-	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	N
ECILS2-CTMBT	24" x 18" x 42"	40 lbs	4"	-	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
ECILS2-BPMBT	24" x 18" x 42"	40 lbs	4"	-	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS2M-BK	24" x 18" x 42"	43 lbs	4"	6 Outlets	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	N
ECILS2M-CTMBT	24" x 18" x 42"	43 lbs	4"	6 Outlets	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
ECILS2M-BPMBT	24" x 18" x 42"	43 lbs	4"	6 Outlets	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y

Model #	W x D x H	Wt	Caster Size	Electrical	Cabinet	Cabinet Size	Standing Ht	Top Shelf Lip	Antimicrobial
• ECILS3-BK	33 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	104 lbs	4"	-	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	N
• ECILS3-CTMBT	33 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	104 lbs	4"	-	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	Y
• ECILS3-BPMBT	33 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	104 lbs	4"	-	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	Y
• ECILS3FF-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	108 lbs	4"	12 Outlets	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	N
• ECILS3FF-CTMBT	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	108 lbs	4"	12 Outlets	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	Y
• ECILS3FF-BPMBT	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	108 lbs	4"	12 Outlets	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	Y

**F** Available in Black powder paint finish.

## MULTIMEDIA CARTS AND STANDS

## PROJECTOR CARTS WITH PULL-OUT NOTEBOOK SHELVES FOR PRESENTATIONS

Ideal for  Learning and  Meeting Solutions.



### TCPUL23 PAL Presenter's Assistant for Learning

Compact presentation cart stores a data projector, document camera, and DVD player. Includes rails for 19" rack mounted sound systems, power units and computer equipment, with added room for a speaker system. Califone speaker included with some models. Designed to work with a laptop computer with pull-out shelf at standing height. Includes a perforated locking cabinet with front and rear access and a dual-plate cutout that supports an optional data plate pass-through for easy plug-in of laptop to projectors and AV equipment. Projector pull-out shelf locks away inside cabinet when not in use to deter theft.

Model #	W x D x H	Wt	Shelf Size	Caster Style	Electrical	Speaker	TCDPT Included	Antimicrobial
• TCPUL23	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Twin Wheel	-	N	N	N
• TCPUL23FF	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Twin Wheel	12 Outlets	N	N	N
• TCPUL23FFDS	23" x 23" x 41"	71 lbs	23"W x 23"D	4" Twin Wheel	12 Outlets	Y	Y	N
• TCP23	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Rubber	-	N	N	N
• TCP23FF	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Rubber	12 Outlets	N	N	N
• TCP23FFDS	23" x 23" x 41"	71 lbs	23"W x 23"D	4" Rubber	12 Outlets	Y	Y	N
TCPUL23-CTMBT	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Twin Wheel	-	N	N	Y
TCPUL23-BPMBT	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Twin Wheel	-	N	N	Y
TCPUL23FF-CTMBT	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Twin Wheel	12 Outlets	N	N	Y
TCPUL23FF-BPMBT	23" x 23" x 41"	71 lbs	23"W x 23"D	4" Twin Wheel	12 Outlets	Y	Y	Y
TCP23-CTMBT	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Rubber	-	N	N	Y
TCP23-BPMBT	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Rubber	-	N	N	Y
TCP23FF-CTMBT	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Rubber	12 Outlets	N	N	Y
TCP23FF-BPMBT	23" x 23" x 41"	71 lbs	23"W x 23"D	4" Rubber	12 Outlets	Y	Y	Y

See page 208 for a full description of Bretford's Antimicrobial Product Solutions.



### TCDPT Data Pass Through

Mounts to dual plate cutout on side panel. Includes two HD15/VGA jacks, one S video jack, one 3.5mm audio jack, and video with L/R stereo RCA jacks.



Concrete (-CT)



Grey Mist (-GM)



Black (-BK)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.

**F** Available in Grey Mist, Concrete and Black powder paint finish.



## MULTIMEDIA CARTS AND STANDS

PROJECTOR CARTS WITH PULL-OUT  
NOTEBOOK SHELVES FOR PRESENTATIONS

Ideal for  Learning and  Meeting Solutions.

**A2642NS AV Notebook Cart**

Features welded steel construction with 26", 30", 34", 38" or 42" H adjustable top shelf, and pull-out notebook shelf for presentations.

**CA2642NS AV Notebook Cart  
and Projection Cart**

Cart features five-height capacity from 26"-42" that easily adjusts by resetting four screws. Includes 14" pull-out notebook shelf and large, lockable, lower storage cabinet with rear grommet hole. Recommended for use with a projector and notebook computer.

**TC12 Multimedia Carts**

Presentation carts feature two sided pull-out shelves for a laptop computer or projector, with room on the top shelf for a document camera. Lower shelf provides additional storage and large cord bin keeps cords organized.



Model #	W x D x H	Wt	Caster Size	Electrical	Cabinet	Cabinet Size	Pull-Out Shelf	Top Shelf Lip
• A2642NS	24" x 18" x 26-42"	47 lbs	4"	-	-	-	20"W x 14"D	1/4"
• A2642NSE	24" x 18" x 26-42"	49 lbs	4"	6 Outlets	-	-	20"W x 14"D	1/4"
• A2642NS-E5	24" x 18" x 27-43"	50 lbs	5"	6 Outlets	-	-	20"W x 14"D	1/4"
• A2642NS-M4	24" x 18" x 26-42"	49 lbs	4"	6 Outlets	-	-	20"W x 14"D	1/4"
• A2642NS-M5	24" x 18" x 27-43"	50 lbs	5"	6 Outlets	-	-	20"W x 14"D	1/4"
• A2642NS-P5	24" x 18" x 27-43"	48 lbs	5"	-	-	-	20"W x 14"D	1/4"
• CA2642NS-M4	24" x 18" x 26-42"	65 lbs	4"	6 Outlets	Assembled	23 <sup>1</sup> / <sub>2</sub> "W x 17 <sup>1</sup> / <sub>2</sub> "D x 15 <sup>1</sup> / <sub>2</sub> "H	20"W x 14"D	1/4"
• CA2642NS	24" x 18" x 26-42"	63 lbs	4"	-	Assembled	23 <sup>1</sup> / <sub>2</sub> "W x 17 <sup>1</sup> / <sub>2</sub> "D x 15 <sup>1</sup> / <sub>2</sub> "H	20"W x 14"D	1/4"
• CA2642NSE	24" x 18" x 26-42"	65 lbs	4"	6 Outlets	Assembled	23 <sup>1</sup> / <sub>2</sub> "W x 17 <sup>1</sup> / <sub>2</sub> "D x 15 <sup>1</sup> / <sub>2</sub> "H	20"W x 14"D	1/4"
• TC12-BK	32" x 24" x 42"	82 lbs	4"	-	-	-	20 <sup>3</sup> / <sub>4</sub> "W x 14"D	1/8"
• TC12FF-BK	32" x 24" x 42"	86 lbs	4"	6 Outlets	-	-	20 <sup>3</sup> / <sub>4</sub> "W x 14"D	1/8"

**F** Available in Black powder paint finish.



# MULTIMEDIA CARTS AND STANDS

## PROJECTOR CARTS WITH PULL-OUT NOTEBOOK SHELVES FOR PRESENTATIONS

Ideal for  Learning and  Meeting Solutions.



### TC15 Cabinet Rack Mount Cart

Two pull-out shelves accommodate a laptop computer and projector while top shelf supports a document camera. Lower locking cabinet includes 19" rack rail with 16-unit spacing and two accessory shelves. Ships ready to assemble.



### TC15SA Cabinet Rack Mount Cart

Same features as TC15 with pre-assembled welded cabinet.



### TC35 Cabinet Multimedia Cart

Cart features a height-adjustable top shelf and two pull-out shelves to accommodate a laptop computer and document camera. Lower, lockable cabinet has perforated holes for ventilation and locks to secure additional equipment.

Model #	W x D x H	Wt	Caster Size	Electrical	Cabinet	Cabinet Size	Pull-Out Shelf	Top Shelf Lip
• TC15-BK	32" x 24" x 42"	154 lbs	4"	-	Unassembled	30"W x 23"D x 27"H	20 <sup>3</sup> / <sub>4</sub> "W x 14"D	1/8"
• TC15FF-BK	32" x 24" x 42"	158 lbs	4"	12 Outlets	Unassembled	30"W x 23"D x 27"H	20 <sup>3</sup> / <sub>4</sub> "W x 14"D	1/8"
• TC15SA-BK	32" x 24" x 42"	154 lbs	4"	-	Assembled	30"W x 23"D x 27"H	20 <sup>3</sup> / <sub>4</sub> "W x 14"D	1/8"
• TC15SAFF-BK	32" x 24" x 42"	158 lbs	4"	12 Outlets	Assembled	30"W x 23"D x 27"H	20 <sup>3</sup> / <sub>4</sub> "W x 14"D	1/8"
• TC35-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	104 lbs	4"	-	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	20 <sup>3</sup> / <sub>4</sub> "W x 14"D	1/8"
• TC35FF-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	108 lbs	4"	6 Outlets	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	20 <sup>3</sup> / <sub>4</sub> "W x 14"D	1/8"



See pages 192-195 for special order colors. Additional costs and longer lead times may apply.

Black (-BK)

**F** Available in Black powder paint finish.

## MULTIMEDIA CARTS AND STANDS

# COMPUTER CARTS WITH PULL-OUT KEYBOARD SHELVES

Ideal for  Learning and  Working Solutions.

Our steel constructed Computer Carts are designed to easily support and transport your technology equipment.

Ideal for computer-related equipment, you choose the cart that will best support your technology needs.

★ *Designed to support computers and other technology in education and work environments.*



### EC4 Mobile Computer Workstation

Carts feature steel construction and die-pressed shelves. Includes space for computer, keyboard and printer on height-adjustable, roll-out shelves.



**F** Available in Putty Beige powder paint finish.

### EC4X Mobile Computer Workstation

Same features as EC4 with a mousepad shelf that extends 9" from the keyboard shelf. Mousepad shelf can be mounted on the left or right side.



**F** Available in Putty Beige powder paint finish.

### EC4000 Computer Workstation

Includes a height-adjustable, pull-out keyboard shelf, an adjustable CPU tower holder that can be mounted on right or left side, and cord management bin. Steel construction.



**F** Available in Grey Mist powder paint finish.

Model #	W x D x H	Wt	Caster Size	Top & Bottom Shelf	Pull-Out Shelf	Electrical	Top Shelf Lip
• EC4-E4	24" x 18" x 33"	48 lbs	4"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	6 Outlets	1/8"
• EC4-E5	24" x 18" x 34"	48 lbs	5"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	6 Outlets	1/8"
• EC4-M4	24" x 18" x 33"	49.5 lbs	4"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	6 Outlets	1/8"
• EC4-M5	24" x 18" x 34"	49.5 lbs	5"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	6 Outlets	1/8"
• EC4-P4	24" x 18" x 33"	48 lbs	4"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	-	1/8"
• EC4X-E4	24" x 18" x 33"	55 lbs	4"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	6 Outlets	1/8"
• EC4X-E5	24" x 18" x 34"	55 lbs	5"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	6 Outlets	1/8"
• EC4X-P4	24" x 18" x 33"	55 lbs	4"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	-	1/8"
• EC4X-P5	24" x 18" x 34"	55 lbs	5"	24"W x 18"D	21 <sup>1</sup> / <sub>4</sub> "W x 13"D	-	1/8"

Model #	W x D x H	Wt	Caster Size	Cord Bin	Pull-Out Shelf	Electrical	Top Shelf Lip
• EC4000-GM	32" x 24" x 33"	76 lbs	4"	30"W x 4 <sup>1</sup> / <sub>2</sub> "D x 10"H	29"W x 13"D	-	1/8"
• EC4000-GM5	32" x 24" x 34"	76 lbs	5"	30"W x 4 <sup>1</sup> / <sub>2</sub> "D x 10"H	29"W x 13"D	-	1/8"
• EC4000FF-GM	32" x 24" x 33"	80 lbs	4"	30"W x 4 <sup>1</sup> / <sub>2</sub> "D x 10"H	29"W x 13"D	6 Outlets	1/8"
• EC4000FF-GM5	32" x 24" x 34"	80 lbs	5"	30"W x 4 <sup>1</sup> / <sub>2</sub> "D x 10"H	29"W x 13"D	6 Outlets	1/8"



# MULTIMEDIA CARTS AND STANDS OVERHEAD AND DOCUMENT CAMERA CARTS AND STANDS

Ideal for Learning and Meeting Solutions.

These carts are ideal for holding data projectors, document cameras, and traditional overhead projectors.

Models are available in sitting height, standing height, or are adjustable to both applications.

★ Holds presentation materials ideal for classrooms, labs, conference rooms, and lecture halls.



**OH29 Sit-Down Projector Table**

Cart is desk height for sit-down presentations. Features folding, space-saving drop leaves on both sides of the projector well. Projector shelf adjusts from 19"-27<sup>3/4</sup>" H (in four increments).



F Available in Putty Beige or Black.



**OH39 Projector Cart**

For stand-up presentations. Cart is 39" H for standing use. Projector well adjusts from 29"-37<sup>3/4</sup>" H (in four increments). Includes folding drop leaves on both sides of projector well.



F Available in Putty Beige or Black.

+ *Quattro Voltea, page 136*

Model #	W x D x H	Wt	Projector Well	Lower Shelf	Drop Leaves	Caster Size	Electrical
• OH29	22 <sup>1/2</sup> " x 19 <sup>3/4</sup> " x 29"	38 lbs	17"W x 19 <sup>3/4</sup> "D	17"W x 19 <sup>3/4</sup> "D	11" x 20 <sup>1/4</sup> "	4"	-
• OH29E	22 <sup>1/2</sup> " x 19 <sup>3/4</sup> " x 29"	40 lbs	17"W x 19 <sup>3/4</sup> "D	17"W x 19 <sup>3/4</sup> "D	11" x 20 <sup>1/4</sup> "	4"	6 Outlets
• OH39	22 <sup>1/2</sup> " x 19 <sup>3/4</sup> " x 39"	40 lbs	17"W x 19 <sup>3/4</sup> "D	17"W x 19 <sup>3/4</sup> "D	11" x 20 <sup>1/4</sup> "	4"	-
• OH39E	22 <sup>1/2</sup> " x 19 <sup>3/4</sup> " x 39"	42 lbs	17"W x 19 <sup>3/4</sup> "D	17"W x 19 <sup>3/4</sup> "D	11" x 20 <sup>1/4</sup> "	4"	6 Outlets
• AOH2741-E4	37" x 22 <sup>1/2</sup> " x 27-41"	67 lbs	17 <sup>1/2</sup> "W x 20 <sup>1/2</sup> "D	17 <sup>1/16</sup> "W x 18 <sup>3/8</sup> "D x 4"H	-	4"	6 Outlets
• AOH2741-M4	37" x 22 <sup>1/2</sup> " x 27-41"	67 lbs	17 <sup>1/2</sup> "W x 20 <sup>1/2</sup> "D	17 <sup>1/16</sup> "W x 18 <sup>3/8</sup> "D x 4"H	-	4"	6 Outlets
• AOH2741-P4	37" x 22 <sup>1/2</sup> " x 27-41"	64 lbs	17 <sup>1/2</sup> "W x 22 <sup>1/2</sup> "D	17 <sup>1/16</sup> "W x 18 <sup>3/8</sup> "D x 4"H	-	4"	-



Grey Mist (-GM)



Putty Beige (-PB)



Black (-BK)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.



**AOH2741 Projector Table**

Cart adapts to stand-up or sit-down applications. Work surface adjusts from 27" to 41" H (in 2" increments). Projector well adjusts from 5" to 11" (in 1/2" increments). Includes storage space below projector well.

F Available in Black powder paint finish.

# MULTIMEDIA CARTS AND STANDS

## PRINTER STANDS

Ideal for Learning, Meeting, and Working Solutions.

Our steel Printer Stands support heavy equipment and are available with adjustable shelf options, multiple shelf configurations, and locking storage cabinets. All models include 2" casters.

★ *Functional anywhere you need a printer. Great for libraries, administrative offices, and classrooms.*



### FAX2 Office Machine Stand

Stand has modular shelves, which divide into a maximum of twelve letter paper slots. Dividers are removable to hold larger paper. Cabinet locks for storage. Includes 2" casters (two locking). Ready to assemble.



F Available in Putty Beige powder paint finish.



### FC2020 Office Machine Stand/Laser Printer Stand

Features a welded cabinet, a fixed, full-width interior shelf, and 2" hidden ball casters (non-locking). Ships assembled.



F Available in Black, Putty Beige and Grey Mist powder paint finish.



### FC27 Office Machine Stand

Features seven cubic feet of storage with an adjustable, full-width interior shelf, which adjusts to heights of 7<sup>5</sup>/<sub>8</sub>" , 11" , and 13<sup>5</sup>/<sub>8</sub>" . Rolls on 2" ball casters.

F Available in Black and Putty Beige powder paint finish.



### C15 Office Machine Stand/Laser Printer Stand

For use with tall printers and copiers. Features top shelf and lower storage cabinet. Includes 2" casters (all locking).



F Available in Black powder paint finish.



Grey Mist (-GM) Putty Beige (-PB) Black (-BK)

See pages 192-195 for special order colors. Additional costs and longer lead times may apply.

Model #	W x D x H	Wt	Cabinet	Caster Size	Cabinet Shelves
• FAX2	30" x 20" x 28 <sup>1</sup> / <sub>2</sub> "	97 lbs	28"W x 19"D x 10"H	2"	1
• FC2020	20" x 20" x 24 <sup>1</sup> / <sub>2</sub> "	50 lbs	19 <sup>3</sup> / <sub>4</sub> "W x 19 <sup>1</sup> / <sub>4</sub> "D x 17 <sup>3</sup> / <sub>4</sub> "H	2"	2
• FC27	36" x 18" x 27"	74 lbs	36"W x 17 <sup>1</sup> / <sub>2</sub> "D x 21 <sup>1</sup> / <sub>2</sub> "H	2"	2
• C15-BK	24 <sup>1</sup> / <sub>4</sub> " x 18 <sup>1</sup> / <sub>8</sub> " x 14 <sup>7</sup> / <sub>8</sub> "	34 lbs	23 <sup>3</sup> / <sub>4</sub> "W x 17 <sup>3</sup> / <sub>4</sub> "D x 9"H	2"	1

# MULTIMEDIA CARTS AND STANDS ACCESSORIES

Ideal for  Learning,  Meeting, and  Working Solutions.

Increase the mobility of your Media Carts with some of our accessories. Accessories are not for use with Printer Stands.



### • ETHKIT Handle Accessory

Handle mounts to top shelf using existing bolts for easier transport of equipment. For use on series models TC12, TC35, TC15, TC15SA, ECILS1, ECILS15, ECILS3, and EC4000.



### • CRDMR Cord Minder

Cord management tool clips to any 1" square, tubular cart leg without tools. Easily adjusts and can be reused multiple times. Comes in a set of three clips. For use on MP series carts, TC12, ECILS1, ECILS2, ECILS15, EC4000, EC4, and EC4X.

### • RM1820-2428 Rubber Mats

Ribbed black rubber mats lay flat on the top shelf of AV carts. Rubber mat is 1/16" thick.

	Fits Shelf Size
• RM1820	20"W x 18"D
• RM1824	24"W x 18"D
• RM1836	36"W x 18"D
• RM2024	24"W x 20"D
• RM2030	30"W x 20"D
• RM2036	36"W x 20"D
• RM2232	32"W x 22"D
• RM2428	28"W x 24"D

### • 044-0404 2" Ball Caster Pack

Found on office machine stands and smaller AV/TV carts. Ideal for low-pile carpet. Each caster is load rated up to 80 lbs. Includes four casters.



### • 044-0024 4" Caster Pack

Includes four casters (two locking). Each caster is load rated to accept up to 115 lbs. Standard on many Bretford AV and computer carts.

### • 044-0025 5" Caster Pack

May be ordered in place of the 4" casters for any Bretford AV or computer cart. Useful for deep carpet or rough surfaces. Includes four stem casters (two locking). Each caster is load rated to accept up to 125 lbs.



### • PC4 4" Twin Plastic Stem Caster Pack

Includes four casters (two with locking brakes). Can be used in place of a 4" caster for any Bretford AV or computer cart. Each caster is load rated to accept up to 125 lbs.



### E6 6-Outlet Power Strip

Six-outlet electrical unit attaches to pre-drilled holes on Bretford computer and multimedia tables. Features a 20' power cord with 3-wire grounded cord, overload protection, and on/off switch.

# CARTS, STANDS & TRUCKS

## ANALYSIS CHARTS



### PROJECTOR CARTS

Model #	W x D x H	Wt	Shelf Size	Top Shelf Lip	Caster Size	Electrical
• A2642	24" x 18" x 26-42"	42 lbs	24"W x 18"D	1/4"	4"	-
• A2642E	24" x 18" x 26-42"	44 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• A2642-M4	24" x 18" x 26-42"	44 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 2642NSKIT	24" x 18" x 26-42"	29.5 lbs	24"W x 18"D	1/4"	-	-



Model #	W x D x H	Wt	Shelf Size	Top Shelf Lip	Casters Size	Electrical
• 42-P4	24" x 18" x 42"	41 lbs	24"W x 18"D	1/4"	4"	-
• 42-E4	24" x 18" x 42"	44 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 42-M4	24" x 18" x 42"	44 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 34-P4	24" x 18" x 34"	38 lbs	24"W x 18"D	1/4"	4"	-
• 34-E4	24" x 18" x 34"	41 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 34-M4	24" x 18" x 34"	41 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 26-P4	24" x 18" x 26"	31 lbs	24"W x 18"D	1/4"	4"	-
• 26-E4	24" x 18" x 26"	34 lbs	24"W x 18"D	1/4"	4"	6 Outlets
• 26-M4	24" x 18" x 26"	34 lbs	24"W x 18"D	1/4"	4"	6 Outlets



Model #	W x D x H	Wt	Shelf Size	Top Shelf Lip	Casters Size	Electrical
• CA2642	24" x 18" x 26-42"	58 lbs	24W" x 18"D	1/4"	4"	-
• CA2642E	24" x 18" x 26-42"	63 lbs	24W" x 18"D	1/4"	4"	6 Outlets
• CA2642-M4	24" x 18" x 26-42"	58 lbs	24W" x 18"D	1/4"	4"	6 Outlets
• 2642NSKIT	24" x 18" x 26-42"	23 lbs	24W" x 18"D	1/4"	-	-



### PLASTIC PROJECTOR CARTS

Model #	W x D x H	Wt	Shelf Size	Top Shelf Lip	Casters Size	Electrical
• BPDUO-E4	24" x 18" x 26-42"	32.5 lbs	24"W x 18"D	1/4"	4"	3 Outlets
• BPDUO-P4	24" x 18" x 26-42"	29.5 lbs	24"W x 18"D	1/4"	4"	-

See page 208 for a full description of Bretford's Antimicrobial Product Solutions.

# CARTS, STANDS & TRUCKS ANALYSIS CHARTS



## PROJECTOR CARTS WITH PULL-OUT SHELVES FOR PRESENTATIONS

Model #	W x D x H	Wt	Shelf Size	Caster Style	Electrical	Speaker	TCDPT Included	Antimicrobial
• TCPUL23	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Twin Wheel	-	N	N	N
• TCPUL23FF	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Twin Wheel	12 Outlets	N	N	N
• TCPUL23FFDS	23" x 23" x 41"	71 lbs	23"W x 23"D	4" Twin Wheel	12 Outlets	Y	Y	N
• TCP23	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Rubber	-	N	N	N
• TCP23FF	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Rubber	12 Outlets	N	N	N
• TCP23FFDS	23" x 23" x 41"	71 lbs	23"W x 23"D	4" Rubber	12 Outlets	Y	Y	N
TCPUL23-CTMBT	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Twin Wheel	-	N	N	Y
TCPUL23-BPMBT	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Twin Wheel	-	N	N	Y
TCPUL23FF-CTMBT	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Twin Wheel	12 Outlets	N	N	Y
TCPUL23FF-BPMBT	23" x 23" x 41"	71 lbs	23"W x 23"D	4" Twin Wheel	12 Outlets	Y	Y	Y
TCP23-CTMBT	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Rubber	-	N	N	Y
TCP23-BPMBT	23" x 23" x 41"	65 lbs	23"W x 23"D	4" Rubber	-	N	N	Y
TCP23FF-CTMBT	23" x 23" x 41"	69 lbs	23"W x 23"D	4" Rubber	12 Outlets	N	N	Y
TCP23FF-BPMBT	23" x 23" x 41"	71 lbs	23"W x 23"D	4" Rubber	12 Outlets	Y	Y	Y



Model #	W x D x H	Wt	Caster Size	Electrical	Laptop Shelf	Seated Ht	Standing Ht	Top Shelf Lip	Antimicrobial
• ECILS1-BK	32" x 24" x 42"	79 lbs	4"	-	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	N
• ECILS1-CTMBT	32" x 24" x 42"	79 lbs	4"	-	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS1-BPMBT	32" x 24" x 42"	79 lbs	4"	-	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS1FF-BK	32" x 24" x 42"	83 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	N
• ECILS1FF-CTMBT	32" x 24" x 42"	83 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS1FF-BPMBT	32" x 24" x 42"	83 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS15-BK	32" x 24" x 33"	69 lbs	4"	-	29"W x 13"D	25", 27", 29"	-	1/8"	N
ECILS15-CTMBT	32" x 24" x 33"	69 lbs	4"	-	29"W x 13"D	25", 27", 29"	-	1/8"	Y
ECILS15-BPMBT	32" x 24" x 33"	69 lbs	4"	-	29"W x 13"D	25", 27", 29"	-	1/8"	Y
• ECILS15FF-BK	32" x 24" x 33"	69 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	-	1/8"	N
ECILS15FF-CTMBT	32" x 24" x 33"	69 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	-	1/8"	Y
ECILS15FF-BPMBT	32" x 24" x 33"	69 lbs	4"	6 Outlets	29"W x 13"D	25", 27", 29"	-	1/8"	Y
• ECILS2-BK	24" x 18" x 42"	40 lbs	4"	-	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	N
ECILS2-CTMBT	24" x 18" x 42"	40 lbs	4"	-	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
ECILS2-BPMBT	24" x 18" x 42"	40 lbs	4"	-	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
• ECILS2M-BK	24" x 18" x 42"	43 lbs	4"	6 Outlets	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	N
ECILS2M-CTMBT	24" x 18" x 42"	43 lbs	4"	6 Outlets	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y
ECILS2M-BPMBT	24" x 18" x 42"	43 lbs	4"	6 Outlets	15"W x 13"D	25", 27", 29"	33 <sup>1</sup> / <sub>2</sub> ", 35 <sup>1</sup> / <sub>2</sub> ", 37 <sup>1</sup> / <sub>2</sub> "	1/8"	Y

Model #	W x D x H	Wt	Caster Size	Electrical	Cabinet	Cabinet Size	Standing Ht	Top Shelf Lip	Antimicrobial
• ECILS3-BK	33 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	104 lbs	4"	-	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	N
• ECILS3-CTMBT	33 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	104 lbs	4"	-	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	Y
• ECILS3-BPMBT	33 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	104 lbs	4"	-	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	Y
• ECILS3FF-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	108 lbs	4"	12 Outlets	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	N
• ECILS3FF-CTMBT	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	108 lbs	4"	12 Outlets	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	Y
• ECILS3FF-BPMBT	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 31-39"	108 lbs	4"	12 Outlets	Unassembled	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	29"W x 13"D	1/8"	Y

# CARTS, STANDS & TRUCKS ANALYSIS CHARTS



Model #	W x D x H	Wt	Caster Size	Electrical	Cabinet	Cabinet Size	Pull-Out Shelf	Top Shelf Lip
• A2642NS	24" x 18" x 26-42"	47 lbs	4"	-	-	-	20"W x 14"D	1/4"
• A2642NSE	24" x 18" x 26-42"	49 lbs	4"	6 Outlets	-	-	20"W x 14"D	1/4"
• A2642NS-E5	24" x 18" x 27-43"	50 lbs	5"	6 Outlets	-	-	20"W x 14"D	1/4"
• A2642NS-M4	24" x 18" x 26-42"	49 lbs	4"	6 Outlets	-	-	20"W x 14"D	1/4"
• A2642NS-M5	24" x 18" x 27-43"	50 lbs	5"	6 Outlets	-	-	20"W x 14"D	1/4"
• A2642NS-P5	24" x 18" x 27-43"	48 lbs	5"	-	-	-	20"W x 14"D	1/4"
• CA2642NS-M4	24" x 18" x 26-42"	65 lbs	4"	6 Outlets	Assembled	23 <sup>1/2</sup> "W x 17 <sup>1/2</sup> "D x 15 <sup>1/2</sup> "H	20"W x 14"D	1/4"
• CA2642NS	24" x 18" x 26-42"	63 lbs	4"	-	Assembled	23 <sup>1/2</sup> "W x 17 <sup>1/2</sup> "D x 15 <sup>1/2</sup> "H	20"W x 14"D	1/4"
• CA2642NSE	24" x 18" x 26-42"	65 lbs	4"	6 Outlets	Assembled	23 <sup>1/2</sup> "W x 17 <sup>1/2</sup> "D x 15 <sup>1/2</sup> "H	20"W x 14"D	1/4"
• TC12-BK	32" x 24" x 42"	82 lbs	4"	-	-	-	20 <sup>3/4</sup> "W x 14"D	1/8"
• TC12FF-BK	32" x 24" x 42"	86 lbs	4"	6 Outlets	-	-	20 <sup>3/4</sup> "W x 14"D	1/8"

## COMPUTER CARTS WITH PULL-OUT KEYBOARD SHELVES



Model #	W x D x H	Wt	Caster Size	Electrical	Cabinet	Cabinet Size	Pull-Out Shelf	Top Shelf Lip
• TC15-BK	32" x 24" x 42"	154 lbs	4"	-	Unassembled	30"W x 23"D x 27"H	20 <sup>3/4</sup> "W x 14"D	1/8"
• TC15FF-BK	32" x 24" x 42"	158 lbs	4"	12 Outlets	Unassembled	30"W x 23"D x 27"H	20 <sup>3/4</sup> "W x 14"D	1/8"
• TC15SA-BK	32" x 24" x 42"	154 lbs	4"	-	Assembled	30"W x 23"D x 27"H	20 <sup>3/4</sup> "W x 14"D	1/8"
• TC15SAFF-BK	32" x 24" x 42"	158 lbs	4"	12 Outlets	Assembled	30"W x 23"D x 27"H	20 <sup>3/4</sup> "W x 14"D	1/8"
• TC35-BK	32 <sup>1/2</sup> " x 24 <sup>1/4</sup> " x 31-39"	104 lbs	4"	-	Unassembled	32"W x 23 <sup>3/4</sup> "D x 15 <sup>7/8</sup> "H	20 <sup>3/4</sup> "W x 14"D	1/8"
• TC35FF-BK	32 <sup>1/2</sup> " x 24 <sup>1/4</sup> " x 31-39"	108 lbs	4"	6 Outlets	Unassembled	32"W x 23 <sup>3/4</sup> "D x 15 <sup>7/8</sup> "H	20 <sup>3/4</sup> "W x 14"D	1/8"



Model #	W x D x H	Wt	Caster Size	Top & Bottom Shelf	Pull-Out Shelf	Electrical	Top Shelf Lip
• EC4-E4	24" x 18" x 33"	48 lbs	4"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	6 Outlets	1/8"
• EC4-E5	24" x 18" x 34"	48 lbs	5"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	6 Outlets	1/8"
• EC4-M4	24" x 18" x 33"	49.5 lbs	4"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	6 Outlets	1/8"
• EC4-M5	24" x 18" x 34"	49.5 lbs	5"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	6 Outlets	1/8"
• EC4-P4	24" x 18" x 33"	48 lbs	4"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	-	1/8"
• EC4X-E4	24" x 18" x 33"	55 lbs	4"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	6 Outlets	1/8"
• EC4X-E5	24" x 18" x 34"	55 lbs	5"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	6 Outlets	1/8"
• EC4X-P4	24" x 18" x 33"	55 lbs	4"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	-	1/8"
• EC4X-P5	24" x 18" x 34"	55 lbs	5"	24"W x 18"D	21 <sup>1/4</sup> "W x 13"D	-	1/8"

Model #	W x D x H	Wt	Caster Size	Cord Bin	Pull-Out Shelf	Electrical	Top Shelf Lip
• EC4000-GM	32" x 24" x 33"	76 lbs	4"	30"W x 4 <sup>1/2</sup> "D x 10"H	29"W x 13"D	-	1/8"
• EC4000-GM5	32" x 24" x 34"	76 lbs	5"	30"W x 4 <sup>1/2</sup> "D x 10"H	29"W x 13"D	-	1/8"
• EC4000FF-GM	32" x 24" x 33"	80 lbs	4"	30"W x 4 <sup>1/2</sup> "D x 10"H	29"W x 13"D	6 Outlets	1/8"
• EC4000FF-GM5	32" x 24" x 34"	80 lbs	5"	30"W x 4 <sup>1/2</sup> "D x 10"H	29"W x 13"D	6 Outlets	1/8"

# CARTS, STANDS & TRUCKS ANALYSIS CHARTS



## OVERHEAD AND DOCUMENT CAMERA CARTS AND STANDS

Model #	W x D x H	Wt	Projector Well	Lower Shelf	Drop Leaves	Caster Size	Electrical
• OH29	22 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 29"	38 lbs	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	11" x 20 <sup>1</sup> / <sub>4</sub> "	4"	-
• OH29E	22 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 29"	40 lbs	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	11" x 20 <sup>1</sup> / <sub>4</sub> "	4"	6 Outlets
• OH39	22 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 39"	40 lbs	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	11" x 20 <sup>1</sup> / <sub>4</sub> "	4"	-
• OH39E	22 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 39"	42 lbs	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	17"W x 19 <sup>3</sup> / <sub>4</sub> "D	11" x 20 <sup>1</sup> / <sub>4</sub> "	4"	6 Outlets
• AOH2741-E4	37" x 22 <sup>1</sup> / <sub>2</sub> " x 27-41"	67 lbs	17 <sup>1</sup> / <sub>2</sub> "W x 20 <sup>1</sup> / <sub>2</sub> "D	17 <sup>1</sup> / <sub>16</sub> "W x 18 <sup>3</sup> / <sub>8</sub> "D x 4"H	-	4"	6 Outlets
• AOH2741-M4	37" x 22 <sup>1</sup> / <sub>2</sub> " x 27-41"	67 lbs	17 <sup>1</sup> / <sub>2</sub> "W x 20 <sup>1</sup> / <sub>2</sub> "D	17 <sup>1</sup> / <sub>16</sub> "W x 18 <sup>3</sup> / <sub>8</sub> "D x 4"H	-	4"	6 Outlets
• AOH2741-P4	37" x 22 <sup>1</sup> / <sub>2</sub> " x 27-41"	64 lbs	17 <sup>1</sup> / <sub>2</sub> "W x 22 <sup>1</sup> / <sub>2</sub> "D	17 <sup>1</sup> / <sub>16</sub> "W x 18 <sup>3</sup> / <sub>8</sub> "D x 4"H	-	4"	-



## PRINTER STANDS

Model #	W x D x H	Wt	Cabinet	Caster Size	Cabinet Shelves
• FAX2	30" x 20" x 28 <sup>1</sup> / <sub>2</sub> "	97 lbs	28"W x 19"D x 10"H	2"	1
• FC2020	20" x 20" x 24 <sup>1</sup> / <sub>2</sub> "	50 lbs	19 <sup>3</sup> / <sub>4</sub> "W x 19 <sup>1</sup> / <sub>4</sub> "D x 17 <sup>3</sup> / <sub>4</sub> "H	2"	2
• FC27	36" x 18" x 27"	74 lbs	36"W x 17 <sup>1</sup> / <sub>2</sub> "D x 21 <sup>1</sup> / <sub>2</sub> "H	2"	2
• C15-BK	24 <sup>1</sup> / <sub>4</sub> " x 18 <sup>1</sup> / <sub>8</sub> " x 14 <sup>7</sup> / <sub>8</sub> "	34 lbs	23 <sup>3</sup> / <sub>4</sub> "W x 17 <sup>3</sup> / <sub>4</sub> "D x 9"H	2"	1



## UL LISTED FOR SCHOOLS

Model #	W x D x H	Wt	Cabinet Dimensions	Caster Size	Monitor Wt	Suggested Monitor Size	Electrical
• FPBBUL32-E4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	89 lbs	-	4"	65 lbs	30"-42"	6 Outlets
• FPBBUL32-M4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	89 lbs	-	4"	65 lbs	30"-42"	6 Outlets
• FPBBUL32-P4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 66"	86 lbs	-	4"	65 lbs	30"-42"	-
• FPBBULC32-E4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	123 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	6 Outlets
• FPBBULC32-M4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	123 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	6 Outlets
• FPBBULC32-P4BK	32" x 27 <sup>1</sup> / <sub>2</sub> " x 70"	120 lbs	30"W x 26"D x 16 <sup>3</sup> / <sub>4</sub> "H	4"	65 lbs	30"-42"	-
• FPBBUL37-E5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	123 lbs	-	5"	75 lbs	36"-47"	6 Outlets
• FPBBUL37-M5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	123 lbs	-	5"	75 lbs	36"-47"	6 Outlets
• FPBBUL37-P5BK	36 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> " x 66"	120 lbs	-	5"	75 lbs	36"-47"	-
• FPBBUL42-E5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	143 lbs	-	5"	85 lbs	42"-52"	6 Outlets
• FPBBUL42-M5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	143 lbs	-	5"	85 lbs	42"-52"	6 Outlets
• FPBBUL42-P5BK	40" x 32 <sup>1</sup> / <sub>2</sub> " x 66"	140 lbs	-	5"	85 lbs	42"-52"	-



## PULL-OUT NOTEBOOK SHELVES

Model #	W x D x H	Wt	Cabinet Dimensions	Cabinet	Suggested Monitor Size	Caster Size	Monitor Wt	Electrical
• TC15FC-BK	32" x 24" x 70"	180 lbs	30"W x 23"D x 27"H	Unassembled	30"-42"	4"	< 90 lbs	-
• TC15FCFF-BK	32" x 24" x 70"	184 lbs	30"W x 23"D x 27"H	Unassembled	30"-42"	4"	< 90 lbs	12 Outlets
• TC15FCSA-BK	32" x 24" x 70"	180 lbs	30"W x 23"D x 27"H	Assembled	30"-42"	4"	< 90 lbs	-
• TC15FCSAFF-BK	32" x 24" x 70"	184 lbs	30"W x 23"D x 27"H	Assembled	30"-42"	4"	< 90 lbs	12 Outlets
• TC35FC-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 59-67"	134 lbs	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	Unassembled	30"-42"	4"	< 90 lbs	-
• TC35FCFF-BK	32 <sup>1</sup> / <sub>2</sub> " x 24 <sup>1</sup> / <sub>4</sub> " x 59-67"	138 lbs	32"W x 23 <sup>3</sup> / <sub>4</sub> "D x 15 <sup>7</sup> / <sub>8</sub> "H	Unassembled	30"-42"	4"	< 90 lbs	6 Outlets
• TC12FC-BK	32" x 24" x 70"	114 lbs	-	Unassembled	30"-42"	4"	< 90 lbs	-
• TC12FCFF-BK	32" x 24" x 70"	118 lbs	-	Unassembled	30"-42"	4"	< 90 lbs	6 Outlets