

# BRETFORD BASICS™

## QUATTRO VOLTEA

### FLIP TOP COMPUTER TABLES

Quattro Voltea Flip Top Computer Tables have a rear door for top down management of power and data cables and are ideal for use with flat screen monitors.



#### FEATURES

- Rear cord bin door flips up for easy access to power and data cables and locks with a key when in the down position.
- Work surface is adjustable in one inch increments from 24" to 32" high, meeting ADA requirements.
- Sturdy 1" thick laminate top with steel skirt and base provide a sturdy work surface for the heaviest of equipment, Quattro tables meet ANSI-BIFMA safety and quality standards.
- Reinforced leg design is constructed from 12- and 14-gauge steel providing superior strength and stability.
- Cord bin door has cut outs to allow computer cables to easily pass into the cord bin without pinching.
- Cord management bin is 6" deep and has side cut-outs so tables may be easily daisy chained in rows.
- 36", 42" and 48"W tables are designed for one computer, 60" and 72"W tables are designed for two computers, and 84"W table are designed for three computers.
- Tables come with adjustable floor glides, 3" twin wheel casters are available to replace glides.
- Optional CPU holder mounts to the underside of the work surface and adjusts to hold towers 6-1/2" to 11-1/2"w x 20-3/8"h.
- Optional power solutions include the ECF6 6-outlet electrical unit with on/off switch and 20 foot power cord or the Juice Power System that daisy chains up to four tables off a single 15 amp outlet. Both attach to pre-drilled holes in the cord management bin.
- Work surface uses a substrate that is comprised of a minimal 40% and average 70% recycled materials and the base is constructed with "prime" steel which is constructed with 25%-35% post-consumer recycled steel.
- Complies with the GREENGUARD Environmental Institute's GREENGUARD Children & Schools Indoor Air Quality standards, contributing to points toward Leadership in Energy and Environmental Design (LEED) Certification.
- Available in five standard finish options or special order in any paint, trim and laminate offered by Bretford.
- Made in the USA.

A HIGHER FORM OF FUNCTION




BRETFORD

## STANDARD COLOR/FINISH

Base/Tabletops: Grey Mist powder paint/Grey Mist laminate (-GM\_) or Black powder paint and trim/Wild Cherry laminate (-CY.)

Trim, Toe Caps & Grommet Holes (on Grey Mist tables only): Available in Cardinal (GMC), Topaz (GMT), Polo (GML) and Quartz (GMQ)



## TABLE ACCESSORIES

QWTCPU	Standard CPU holder for towers 6-1/2" to 11-1/2"W
QWTMTC	Slim CPU holder for towers 3-1/2" to 5-3/4"W
CT3CP	3" twin plastic stem caster pack

## SOFTWARED POWER OPTION

ECF6    6-Outlet Power Strip (1 each table)



ECF6 Power Strip

## JUICE SOFTWARED POWER SYSTEM OPTION

DPCF4	Juice 4-Outlet Power Strip (1 each table)
DPP120	Juice Power In-Feed Cable (1 each row)
DPJ32	Juice Power Jumper Cable 32"L (30"w to 30"w tables)
DPJ38	Juice Power Jumper Cable 38"L (36"w to 36"w tables)
DPJ42	Juice Power Jumper Cable 42"L (42"w to 42"w tables)
DPJ54	Juice Power Jumper Cable 54"L (36"w to 60"w and 72"w; and 48"w to 42"w, 48"w and 60"w tables)
DPJ62	Juice Power Jumper Cable 62"L (60"w to 60"w; 36"w to 84"w; and 48"w to 72"w tables)
DPJ74	Juice Power Jumper Cable 74"L (72"w to 60"w and 72"w; and 60"w to 84"w tables)
DPJ86	Juice Power Jumper Cable 86"L (84"w to 72"w and 84"w tables)



Juice Power System

## LEGROOM WHEN CPU HOLDERS ARE USED

CPU holders mount 5" from the table edge when mounted to the outside of the table. When two CPUs are mounted subtract 10" from the table width and then subtract the actual CPU tower width to get the available leg room.

## MADE IN THE USA

All Quattro series tables are made at one of Bretford's Chicago area manufacturing facilities using union labor.

## SUGGESTED SPECIFICATIONS

Quattro Voltea Computer Tables are height adjustable from 24" to 32" in 1" increments. Available in 24", 30" and 36" depths by 30", 36", 42", 48", 60", 72" and 84" widths depending on the model specified. Laminate table top and cord bin door are made from 1" thick, 45 lb. density particle board and 3mm thick vinyl T-molding. The flip up door includes cut-outs to let power and data cables pass into the cord bin and a lock with two keys. Note that all Quattro Voltea tables use the same key to secure the rear flip up door. Table top incorporates a 14-gauge steel apron around the table edge for maximum strength and durability. Telescoping legs are constructed from 1-1/4" 12-gauge steel and 1" 14-gauge steel tubing and attach to the top using a unique hex/tie bolt assembly. Cord management bin runs the width of the table, is constructed of 18-gauge steel and is secured to the table apron and leg with (2) 10-32 screws. Table is available in a Wild Cherry wood grain laminate with Black T-molding and Black powder paint base or with a Grey Mist laminate with Quartz, Cardinal, Polo or Topaz T-molding and a Grey Mist powder paint base. All steel components are constructed with "prime" steel which features 25% to 35% post-consumer recycled content. Tables are GREENGUARD INDOOR AIR QUALITY CERTIFIED®.



Reinforced Leg Design



Locking Rear Door For Easy Access And Cord Management

## DIMENSIONS, WEIGHT & FREIGHT CLASS

Flip Up Cord Bin Door: 6"d (the door width depends on the overall width of the table)

Cord Management Bin: Bins are 6" x 6" and always 6-1/2" shorter than the overall table length.

Leg Space: Leg space is always 6" less than the overall table width

### 24"D RECTANGULAR VOLTEA COMPUTER TABLES OVERALL:

QFT2430-\_: 30"w x 24"d x 24-32"h, 59 lbs., Freight Class 70 UPS

QFT2436-\_: 36"w x 24"d x 24-32"h, 65 lbs., Freight Class 70 UPS

QFT2442-\_: 42"w x 24"d x 24-32"h, 71 lbs., Freight Class 70 UPS

QFT2448-\_: 48"w x 24"d x 24-32"h, 81 lbs., Freight Class 70 UPS

QFT2460-\_: 60"w x 24"d x 24-32"h, 92 lbs., Freight Class 70 LTL

QFT2472-\_: 72"w x 24"d x 24-32"h, 105 lbs., Freight Class 70 LTL

QFT2484-\_: 84"w x 24"d x 24-32"h, 118 lbs., Freight Class 70 LTL

### 30"D RECTANGULAR VOLTEA COMPUTER TABLES OVERALL:

QFT3030-\_: 30"w x 30"d x 24-32"h, 64 lbs., Freight Class 70 UPS

QFT3036-\_: 36"w x 30"d x 24-32"h, 73 lbs., Freight Class 70 UPS

QFT3042-\_: 42"w x 30"d x 24-32"h, 81 lbs., Freight Class 70 UPS

QFT3048-\_: 48"w x 30"d x 24-32"h, 92 lbs., Freight Class 70 UPS

QFT3060-\_: 60"w x 30"d x 24-32"h, 105 lbs., Freight Class 70 LTL

QFT3072-\_: 72"w x 30"d x 24-32"h, 121 lbs., Freight Class 70 LTL

QFT3084-\_: 84"w x 30"d x 24-32"h, 137 lbs., Freight Class 70 LTL

### 36"D RECTANGULAR VOLTEA COMPUTER TABLES OVERALL:

QFT3630-\_: 30"w x 36"d x 24-32"h, 78 lbs., Freight Class 70 UPS

QFT3636-\_: 36"w x 36"d x 24-32"h, 82 lbs., Freight Class 70 UPS

QFT3642-\_: 42"w x 36"d x 24-32"h, 91 lbs., Freight Class 70 UPS

QFT3648-\_: 48"w x 36"d x 24-32"h, 101 lbs., Freight Class 70 UPS

QFT3660-\_: 60"w x 36"d x 24-32"h, 116 lbs., Freight Class 70 LTL

QFT3672-\_: 72"w x 36"d x 24-32"h, 130 lbs., Freight Class 70 LTL

QFT3684-\_: 84"w x 36"d x 24-32"h, 147 lbs., Freight Class 70 LTL

All tables ship ready to assemble in two carton packs.



## CARTON DIMENSIONS

### 24"D RECTANGULAR VOLTEA COMPUTER TABLES:

QFT2430-\_: Box 1 "QFT2430TOP-\_" - 28"w x 36"d x 4.5"h

Box 2 "QFT30BIN-\_" - 7"w x 28"d x 8"h

QFT2436-\_: Box 1 "QFT2436TOP-\_" - 28"w x 44"d x 4.5"h

Box 2 "QFT36BIN-\_" - 7"w x 34"d x 8"h

QFT2442-\_: Box 1 "QFT2442TOP-\_" - 28"w x 50"d x 4.5"h

Box 2 "QFT42BIN-\_" - 7"w x 40"d x 8"h

QFT2448-\_: Box 1 "QFT2448TOP-\_" - 28"w x 56"d x 4.5"h

Box 2 "QFT48BIN-\_" - 7"w x 46"d x 8"h

QFT2460-\_: Box 1 "QFT2460TOP-\_" - 28"w x 68"d x 4.5"h

Box 2 "QFT60BIN-\_" - 7"w x 58"d x 8"h

QFT2472-\_: Box 1 "QFT2472TOP-\_" - 28"w x 80"d x 4.5"h

Box 2 "QFT72BIN-\_" - 7"w x 70"d x 8"h

QFT2484-\_: Box 1 "QFT2484TOP-\_" - 28"w x 92"d x 4.5"h

Box 2 "QFT84BIN-\_" - 7"w x 82"d x 8"h

### 30"D RECTANGULAR VOLTEA COMPUTER TABLES:

QFT3030-\_: Box 1 "QFT3030TOP-\_" - 34"w x 36"d x 4.5"h

Box 2 "QFT30BIN-\_" - 7"w x 28"d x 8"h

QFT3036-\_: Box 1 "QFT3036TOP-\_" - 34"w x 44"d x 4.5"h

Box 2 "QFT36BIN-\_" - 7"w x 34"d x 8"h

QFT3042-\_: Box 1 "QFT3042TOP-\_" - 34"w x 50"d x 4.5"h

Box 2 "QFT42BIN-\_" - 7"w x 40"d x 8"h

QFT3048-\_: Box 1 "QFT3048TOP-\_" - 34"w x 56"d x 4.5"h

Box 2 "QFT48BIN-\_" - 7"w x 46"d x 8"h

QFT3060-\_: Box 1 "QFT3060TOP-\_" - 34"w x 68"d x 4.5"h

Box 2 "QFT60BIN-\_" - 7"w x 58"d x 8"h

QFT3072-\_: Box 1 "QFT3072TOP-\_" - 34"w x 80"d x 4.5"h

Box 2 "QFT72BIN-\_" - 7"w x 70"d x 8"h

QFT3084-\_: Box 1 "QFT3084TOP-\_" - 34"w x 92"d x 4.5"h

Box 2 "QFT84BIN-\_" - 7"w x 82"d x 8"h

### 36"D RECTANGULAR VOLTEA COMPUTER TABLES:

QFT3630-\_: Box 1 "QFT3630TOP-\_" - 40"w x 36"d x 4.5"h

Box 2 "QFT30BIN-\_" - 7"w x 28"d x 8"h

QFT3636-\_: Box 1 "QFT3636TOP-\_" - 40"w x 44"d x 4.5"h

Box 2 "QFT36BIN-\_" - 7"w x 34"d x 8"h

QFT3642-\_: Box 1 "QFT3642TOP-\_" - 40"w x 50"d x 4.5"h

Box 2 "QFT42BIN-\_" - 7"w x 40"d x 8"h

QFT3648-\_: Box 1 "QFT3648TOP-\_" - 40"w x 56"d x 4.5"h

Box 2 "QFT48BIN-\_" - 7"w x 46"d x 8"h

QFT3660-\_: Box 1 "QFT3660TOP-\_" - 40"w x 68"d x 4.5"h

Box 2 "QFT60BIN-\_" - 7"w x 58"d x 8"h

QFT3672-\_: Box 1 "QFT3672TOP-\_" - 40"w x 80"d x 4.5"h

Box 2 "QFT72BIN-\_" - 7"w x 70"d x 8"h

QFT3684-\_: Box 1 "QFT3684TOP-\_" - 40"w x 92"d x 4.5"h

Box 2 "QFT84BIN-\_" - 7"w x 82"d x 8"h



11000 SEYMOUR AVENUE  
FRANKLIN PARK, ILLINOIS 60131 USA  
TOLL FREE PHONE 800-521-9614  
PHONE 847-678-2545  
TOLL FREE FAX 800-343-1779  
FAX 847-678-0852  
WWW.BRETTFORD.COM